

SMART SURVEILLANCE SYSTEM FOR REAL-TIME CROWD MONITORING AND SELECTIVE DETECTION USING YOLO

Sumanth M

PG, Student
Dept. of MCA

The Oxford College of Engineering,
Bommanahalli, Bengaluru- 560068
Sumanthmmca2025@gmail.com

Sowmya J

Assistant Professor
Dept. of MCA

The Oxford College of Engineering,
Bommanahalli, Bengaluru-560068
sowmyaj@theoxford.edu

ABSTRACT

In today's rapidly evolving urban environments, ensuring public safety and efficient crowd management has become a critical concern. This project presents a **Smart Surveillance System** designed for **real-time crowd monitoring and selective object detection** using the **You Only Look Once (YOLO)** algorithm, a state-of-the-art deep learning model for object detection. The system aims to enhance traditional surveillance by enabling automated, intelligent analysis of live video feeds with minimal human intervention. Our approach integrates YOLO with real-time video input to identify and track individuals and specific objects of interest—such as backpacks, suspicious behavior indicators, or predefined threat categories—within

Without sacrificing frame rates, making it suitable for deployment in high-traffic areas such as transportation hubs, stadiums, and public events. This project demonstrates the potential of combining AI-powered vision systems with smart surveillance to improve situational awareness, response times, and public safety. Future improvements could include integrating facial recognition, anomaly detection, and edge-computing for enhanced scalability and privacy compliance.

KEYWORDS: *Multi-Factor Authentication (MFA), Identity Governance Cloud Security, Access Management Role-Based Access Control (RBAC), User Behavior Analytics.*

INTRODUCTION

A computer vision technique called object detection gives us various means to set out in search of. Recognize detection of any objects or details in photos or video films.

This identification method uses object detection to identify objects in a scene and their location within a frame. Object detection is used in many different industries, from real-time vehicle detection in smart cities to round-the-clock surveillance. Computer vision is used to identify individuals in a video. As a further step into that direction, requirements for surveillance in many towns' industries is the ability to detect objects in real-time physical situations. Therefore, we are employing a range of algorithms for people counting in order to have a system that is efficient and fast.

LITERATURE SURVEY

Contemporary advances in computer vision and deep learning have transformed the traditional surveillance technology to intelligent automated technology. This literature survey unveils the most relevant studies, tools and methods related to developing an intelligent surveillance system with YOLO to perform selective detection and monitor crowds in real-time. YOLO algorithm (You Only Look Once): redmonetal. Presented YOLO, a real-time and single-shot object detection model, which is capable of predicting the

2. Methods of Real-Time Crowds Observation:

Background subtraction, optical flow and blob detection are the mainstays of traditional methods of crowd analysis and are unreliable in cases of Havelock or blocked scenes. Recent models of deep learning used in the area of behaviour forecasting, density estimation and crowd counting are CNNs and LSTMs.. But the integration offered by YOLO offers a more cohesive and effective solution.

Minimizing latency and avoiding the necessity for high-bandwidth cloud transmission, such devices enhance the responsiveness of surveillance systems.

5. Smart Surveillance Systems Currently in Utilization:

o Although programs such as Smart-CCTV and Open CV-based surveillance systems employ motion detection and simple object tracking, they don't utilize deep learning-based selective detection features. Integration with Open CV and streaming platforms (such as RTSP and Flask

EXISTING WORK

Object counting was achieved through a number of traditional methods before the invention of advanced technologies. One of the numerous issues in the

conventional way as well as the popular one. as well. methods is that manually counting individuals is time-consuming. Some of the following are listed. recent techniques.

Manual counting: Manual counting is a very common direct method of counting people physically. This method To use in % is In general, considerable effort is made merely countable people or objects. For instance, this method The estimation of the number of people is being carried out using the wielding. people in a car or bus. Tally counters are devices with buttons that, when clicked, add to the number. Such systems that ought to help people count things using hands utilize these techniques. Perhaps it may be a substitute for counting by hand.

Mechanical counters: Mechanical counters add counts per rotation or movement. As the items pass through a certain area, they will be counted automatically. Manufacturing and other sectors have used mechanical counters to count items for many years.

Weighing scales: This technique makes it possible to use an item weight when counting objects. To count the items in a batch, use the weight difference. The two sectors that employed these methods the


most were agriculture and pharmaceuticals.

Visual estimation : When a precise count is not required, like when Stress in trying to calculate how many cars are in a parking lot or how many people are in a large crowd, visual estimation—a method for estimating counts based on visual observation—is commonly employed. Despite their poor accuracy, efficiency, and scalability, these earlier techniques were employed in The high level of applications of the product is seen with which have a broad scope of applications The concept and tool or instrument was followed by the emergence of the concept and tool or instrument prior to the development of the concept and tool or instrument. more sophisticated counting technologies. The accuracy, speed, and dependability of object counting tasks have significantly increased since the advent of contemporary automated counting systems.

PROPOSED SYSTEM

The crowd estimation technique is the only one in the current system that performs notably better in the modern environment. The countering of individuals is done using different algorithms similarly. They can be more than quiet enough to determine an ideal find to a problem taking into consideration the

requirements of the modern world. **Scale-Invariant Methods:** Scale-invariant crowd counting algorithms attempt to estimate the size of a crowd of people regardless of their sizes and distances to the camera. To accommodate different sizes of different individuals, scale-invariant techniques tend to resort to techniques like multi-scale, which analyzes images or video frames at a variety of scales. Scale-invariant methods enhance the effectiveness of crowd counting with regard to the perspective distortions.




CNN-Based approaches: This strategy very much succeeded crowds counting. These deep learning methods exploit the capability of learning by the CNN architectures, determining characteristics and calculating crowd sizes. The VGG (Visual METHODOLOGY) Our proposed device utilizes YOLO, a contemporary object detection algorithm, to enable real-time crowd

computing with live analytics and selective detection capabilities. Using the speed and accuracy of YOLO, our machine can analyse crowd dynamics in an appropriate and efficient manner and provide valuable information in real-time. This technology is useful for crowd control, protection monitoring, and aid distribution when proactive decision-making and efficient reaction strategies are taken into account. Businesses improve their operations and global situational awareness by using our system's ability to detect specific devices of interest within crowds.


EXPERIMENTAL RESULTS

Many important parameters need to be appropriately discussed in the advanced field of counting crowds in the system perspective. One of such parameters is the adequate The need to select a dataset. would enable the model to generalize by embracing heterogeneity and representative character over an array of situations. The right pick of the multi-scale deep learning topology is also crucial, and YOLO, Faster R-CNN or SSD provide rather different options to address the real-time nature. This is because of the crowd counting of the industry. procedures where the necessary compromise between performance and precision is hard to achieve. Meanwhile, where the process of pre-processing comes to



the fore, the differentiation of methodologies like image resizing, normalization, and enhancement calls to be applied with tact. Across adjusted aspect ratios, image resolutions, and lighting situations, these principles create a system which is more tolerant in a range of environmental situations. These methods of post-processing smooth out the system of complexities by increasing the size of the population. Precision in the system is improved by precise removal of overlapping or fake detections with the help of filtering algorithms like the non-maximum supremacist. This is enhanced by the deliberate application of crowd density estimation techniques, like regression-based methods or kernel density estimation, to extract more information about crowd density in particular areas. Using hardware acceleration techniques, such as Graphics Processing Units, in light of the high computational demands inherent in crowd counting. Specialized deep learning

processors, or GPUs, become crucial. Real-time crowd counting is now a realistic goal thanks to this advantageous combination of hardware accelerators that efficiently accelerates the inference process. The system's efficacy must ultimately be carefully evaluated using comprehensive Performance Metrics that are used include accuracy i.e. mean absolute error (MAE), or mean squared error (MSE). The efficacy, These metrics indicate the accuracy, the overall performance of the system in respect to the crowd counting operations and comprise the overall evaluation framework.



CONCLUSION

The system can be used to count individuals in images or video frames by using a single model approach of object detection in YOLO and its ability to detect objects of different sizes and scales. In summary, the possibility of deploying YOLO in real

time selective detection and live analytics in crowd counting holds promise of being an effective method of monitoring crowd density and studying crowd dynamics. It is convenient to use Cellular respiration In many functions such as but not limited to: resources allocation, crowd management and safety tracking, due to the high processing rates and accurate object detection capabilities. We can recognize objects, follow people wherever they go and determine their intentions. Here, they can apply it in numerous ways They must learn to expand their business in the Format that helps them grow. The outcome of the discussions made between those involved produced constructive results that contributed to the formulation of a curative intervention. Conducted experiment provide evidence that the proposed approach produces promising Estimates of the number of people in a crowd that are close in value to those, obtained by direct counting. The other advantage of using the complete technology is that, besides the video feed of the concerned location, the installation of no other system is

necessary to take into account the number of people present.

REFERENCES

- [11. Singh, V., Ojha, N. and Choudhary, S. (2017). utilizing the SIFT feature extraction technique to detect crowd behavior in video sequences in real time. 936–940 in Proceedings of the International Conference on Intelligent Computing and Control Systems (ICICCS).
2. Idrees, H., Shah, M., Saleemi, I., and Seibert, C. (2013). counting people in incredibly dense crowd photos using a multi-source, multi-scale approach. Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition, 2547–2554.
3. Vasconcelos, N., and Chan, A.B. (2011). IEEE Transactions on Image Processing, 21,